Hand, Foot, and Mouth Disease

Hand, foot, and mouth disease is an infection which is most common in children under ten years old. This illness occurs most often in the summer and fall months.

CAUSE: A coxsackie virus

SYMPTOMS: Lesions (small sores) occur toward the front of the mouth, on

the sides of the tongue, inside the cheeks, and on the gums. These mouth sores may last 7 to 10 days. In most cases, sores (that may resemble blisters) will also be found on the palms of the hands, the fingers, and the soles of the feet. A low grade

fever may last 1 to 2 days.

TRANSMISSION: This virus leaves the body through the stool of an infected

person and enters another person when hands, food, or objects

(such as toys) contaminated with stool, are placed in the

mouth.

INCUBATION: It usually takes 3 to 5 days after exposure for symptoms to

begin.

CONTAGIOUS

PERIOD:

During illness and possibly for several weeks after illness (through contact with stool). Also, infected persons who may

not seem sick are able to spread infection.



Until fever is gone and child is well enough to participate in normal daily activities. Sores may still be present.



1. Wash hands thoroughly with soap and running water for at least 20 seconds after using the bathroom, wiping the nose or mouth, and after handling diapers or anything soiled with stool. If hand sanitizers are used, they may be used only <u>after</u> thorough hand washing.

2. Clean and disinfect contaminated areas (diapering area, toilets, potty-chairs) and sanitize toys at least daily and when soiled.

1. Bleach Disinfectant



- ¼ cup bleach in a gallon of water
- 1 tablespoon bleach in a quart or water PREPARE FRESH SOLUTION DAILY.

OR

2. Commercial disinfectant that is EPA approved FOLLOW MANUFACTURER'S SIRECTIONS.

1. Bleach Sanitizer (Use non-scented)

- 1 teaspoon bleach in 1 gallon water
- ¼ teaspoon bleach in 1 quart water

USE TEST STRIP TO CHECK CONCENTRATION. DO NOT RINSE, LET AIR DRY. PREPARE FRESH SOLUTION DAILY.

OR

- 2. Commercial or food grade sanitizer that is EPA approved FOLLOW MANUFACTOR'S DIRECTIONS.
- 3. Dispose of tissues and diapers properly.
- 4. Treatment: None

For more information, you or your physician may call the Central District Health Department at 385-5175, or your local health department.